Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
[1]	2.	"20030038953"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF.	2005/05/25 08:25
L2	199	"5070413"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 08:25
L3	4	"6707576"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 08:26
L4	2	"6753978" ·	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 08:26
L5	42	. <sup>#</sup> 5455600"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 08:27
L6	21	"5130823"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 08:27
L7	2	"6798537"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 08:27
S1	0	(unnormalize\$1 or non-normaliz\$2 )with texture near3 map\$\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:18
S2	O	(unnormalize\$1 or non-normaliz\$2 )with texture near3 map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:18

S3	0	(un-normalize\$1 or non-normaliz\$2 or nonnormaliz\$2 )with texture near3 map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:19
S4	39	( normaliz\$2 or nonnormaliz\$2 )with texture near3 map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:19
S5	10	( normaliz\$2 or nonnormaliz\$2 )with texture near3 map\$4 and (lod or detail near4 level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:20
S6	9	( normaliz\$2 or nonnormaliz\$2 )with texture near3 map\$4 and (lod or detail near4 level) and linear\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/03/15 15:20
S7	0	( normaliz\$2 or nonnormaliz\$2 )with texture near3 map\$4 and (lod or detail near4 level) and linear\$2 and non-power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:20
S8	1	( normaliz\$2 or nonnormaliz\$2 )with texture near3 map\$4 and (lod or detail near4 level) and linear\$2 and (exponent\$1 oe exponential or exponential\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:21
S9	1	( normaliz\$2 or nonnormaliz\$2 )with texture near3 map\$4 and (lod or detail near4 level) and linear\$2 and (exponent\$1 or exponential or exponential\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:23
S10	O	( normaliz\$2 or nonnormaliz\$2 )with texture near3 map\$4 and (lod or detail near4 level) and linear\$2 and (exponent\$1 or exponential or exponential\$2)near2 (non or without)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:21
S11	0	( normaliz\$2 or nonnormaliz\$2 )same texture near3 map\$4 and (lod or detail near4 level) and linear\$2 and (exponent\$1 or exponential or exponential\$2)near2 (non or without )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:22

S12	0	( normaliz\$2 or nonnormaliz\$2 )same texture with map\$4 and (lod or detail near4 level) and linear\$2 and (exponent\$1 or exponential or exponential\$2)near2 (non or without )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:22
S13	1322	( normaliz\$2 or nonnormaliz\$2 )same texture with map\$4 and (lod or detail near4 level) (exponent\$1 or exponential or exponential\$2)near2 (non or without)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	<b>⊙FF</b>	2005/03/15 15:22
S14	0	( normaliz\$2 or nonnormaliz\$2 )same texture with map\$4 and (lod or detail near4 level) and (exponent\$1 or exponential or exponential\$2)near2 (non or without)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:22
S15	28	( normaliz\$2 or nonnormaliz\$2 )same texture near2 map\$4 and (lod or detail near4 level) and (linear\$2 or(exponent\$1 or exponential or exponential\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:24
S16	9	( normaliz\$2 or nonnormaliz\$2 )same texture near2 map\$4 and (lod or detail near4 level) and (linear\$2 and(exponent\$1 or exponential or exponential\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:25
S17	0	(scaling or scaled) with ( normaliz\$2 or nonnormaliz\$2 )same texture near2 map\$4 and (lod or detail near4 level) and (linear\$2 and(exponent\$1 or exponential or exponential\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:25
S18	0	(scaling or scaled) same ( normaliz\$2 or nonnormaliz\$2 )same texture near2 map\$4 and (lod or detail near4 level) and (linear\$2 and(exponent\$1 or exponential or exponential\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:25
S19	3 	normaliz\$7 same(scaling or scaled)and (normaliz\$2 or nonnormaliz\$2 )same texture near2 map\$4 and (lod or detail near4 level) and (linear\$2 and(exponent\$1 or exponential or exponential\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:30

S20	3	normaliz\$7 same(scaling or scaled)and (normaliz\$2 or nonnormaliz\$2 )same texture near2 map\$4 and (lod or detail near4 level) and (linear\$2 and(exponent\$1 or exponential or exponential\$2 or power or squared))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:33
\$21 .	3	normaliz\$7 same(scaling or scaled)and (normaliz\$2 or nonnormaliz\$2 )same texture near2 map\$4 and (lod or detail near4 level) and (linear\$2 and(exponent\$1 or exponential or exponential\$2 or power or squared))and texture near4 map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:34
S22	7	S15 and width and height	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:34
S23	4	S15 and width and height and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:38
S24	4	S15 and width and height and S16 and (floating or flop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:38
S25	2	S15 and width and height and S16 and (floating or flop)and scaling with map	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:39
S26	2	S15 and width and height and S16 and (floating or flop)and scaling with (texture and (map or mapping))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:40
S27	2	S15 and width and height and S16 and (floating or flop)and scaling with (texture and (map or mapping)and (normaliz\$1 or normalization))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	⊙R	OFF	2005/03/15 15:40

S28	. 2	S15 and width same height and S16 and (floating or flop)and scaling with (texture and (map or mapping)and (normaliz\$1 or normalization))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:41
529	2	S15 and width same height and S16 and (texture and map\$4) with (floating or flop)and scaling with (texture and (map or mapping)and (normaliz\$1 or normalization))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:43
S30	2	S15 and width same height and S16 and (texture with map\$4) with (floating or flop)and scaling with (texture and (map or mapping)and (normaliz\$1 or normalization))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:43
S31	2 	S15 and width same height and S16 and (texture with map\$4) with (floating or flop)and scaling with (texture with (map or mapping)and (normaliz\$1 or normalization))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:43
S32	0	S15 and width same height and S16 and (texture with map\$4) with (floating or flop)and scaling with (texture with (map or mapping)with (normaliz\$1 or normalization))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:44
S33	0	S15 and width same height and S16 and (texture with map\$4) with (floating or flop)and scaling with (texture with (map or mapping)same (normaliz\$1 or normalization))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:44
S34	2	S15 and width same height and S16 and (texture with map\$4) with (floating or flop)and scaling with (texture with (map or mapping)and (normaliz\$1 or normalization))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:44
\$35		S15 and width same height and S16 and (texture with map\$4) with (floating or flop)same scaling with (texture with (map or mapping)and (normaliz\$1 or normalization))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:44

S36	2	S15 and width same height and S15 and (texture with map\$4) with (floating or flop)and scaling with (texture with (map or mapping)and (normaliz\$1 or normalization))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:47
S37.	. 2	(S15 or S4) and width same height and S15 and (texture with map\$4) with (floating or flop)and scaling with (texture with (map or mapping)and (normaliz\$1 or normalization))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:48
S38	2	(S15 or S4 or S5) and width same height and S15 and (texture with map\$4) with (floating or flop)and scaling with (texture with (map or mapping)and (normaliz\$1 or normalization))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:48
S39	2 2 - 2 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 -	(S15 or S4 or S5 or S22) and width same height and S15 and (texture with map\$4) with (floating or flop)and scaling with (texture with (map or mapping)and (normaliz\$1 or normalization))	USPAT; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	<b>OFF</b>	2005/03/15 15:48
S40	2	(S15 or S4 or S5 or S22 or S23) and width same height and S15 and (texture with map\$4) with (floating or flop)and scaling with (texture with (map or mapping)and (normaliz\$1 or normalization))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:50

S41	42	("4783829"   "4945500"   "4970636"   "5083287"   "5123085"   "5402532"   "5448690"   "5455900"   "5481669"   "5574836"   "5579455"   "5596686"   "5664071"   "5684939"   "5699497"   "5710876"   "5767859"   "5798770"   "5828378"   "5841447"   "5850225"   "5854631"   "5860158"   "5864342"   "5880736"   "5889997"   "5920326"   "5949424"   "5949428"   "5977977"   "5990904"   "6002410"   "6002412"   "6118452"   "6128000"   "6167486"   "6204859"   "6229553"   "6246415"   "6259452"   "RE36145").PN. OR ("6717576"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/15 15:48
S42	24	"42" and (S15 or S4 or S5 or S22 or S23)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:49
S43	20	"41" and (S15 or S4 or S5 or S22 or S23)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:49
S44	2	S43 and width same height and S15 and (texture with map\$4) with (floating or flop)and scaling with (texture with (map or mapping)and (normaliz\$1 or normalization))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:50
S45	2	width same height and S15 and (texture with map\$4) with (floating or flop)and scaling with (texture with (map or mapping)and (normaliz\$1 or normalization))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:50
S46	2	width same height and (texture with map\$4) with (floating or flop)and scaling with (texture with (map or mapping)and (normaliz\$1 or normalization))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:50

S47	2	S44 and width same height and (texture with map\$4) with (floating or flop)and scaling with (texture with (map or mapping)and (normaliz\$1 or normalization))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:51
S48	4	(lod or level near4 detail)and (texture with map\$4) and (floating or flop)and scaling same (texture with (map or mapping)and (normaliz\$1 or normalization))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:53
S49	4	(lod or level near4 detail)and (texture with map\$4) same (floating or flop)and scaling same (texture with (map or mapping)and (normaliz\$1 or normalization))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:55
S50	35	("5097427"   "5179659"   "5224208").PN. OR ("5856829"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/15 15:53
S51	0	S35 and S41	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/15 15:53
S52	2	(lod or level near4 detail)and (linear\$2 or power or exponent\$1 or exponential\$2)same (texture with map\$4) same (floating or flop)and scaling same (texture with (map or mapping)and (normaliz\$1 or normalization))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	<b>⊙FF</b>	2005/03/15 15:58
S53	217	(lod or level near4 detail)with (texture with map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:58
S54	9	(lod or level near4 detail)with (texture with map\$4)with scaling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 16:04
S55	9	((lod or level near4 detail)with (texture with map\$4))with scaling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 16:18
S56	0	((lod or level near4 detail)with (texture with map\$4))with scaling same (normalization or normaliz\$2 or non-normalization or non-normaliz\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF.	2005/03/15 16:06

S57	0	((lod or level near4 detail)with (texture with map\$4))same scaling same (normalization or normaliz\$2 or non-normalization or non-normaliz\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 16:06
S58	0-	((lod or level near4 detail)same (texture with map\$4))same scaling same (normalization or normaliz\$2 or non-normalization or non-normaliz\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR :	OFF	2005/03/15 16:07
S59	8	(lod or level near4 detail)same scaling same (normalization or normaliz\$2 or non-normalization or non-normaliz\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 16:07
S60	8	(lod or level near4 detail)same scaling same (normalization or normaliz\$2 or non-normalization or non-normaliz\$2) and texture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ,	OFF	2005/03/15 16:07
S61	. 0	((lod or level near4 detail)with (texture with map\$4))with scaling and floating	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 16:18
S62	0	((lod or level near4 detail)same (texture with map\$4))with scaling and floating	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 16:18
S63	13	((lod or level near4 detail)same (texture with map\$4))same scaling and floating	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 16:19
S64	0	((lod or level near4 detail)same (texture with map\$4))same scaling same floating	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 16:19
S65	. 7	((lod or level near4 detail)same (texture with map\$4))same scaling and floating same texture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 16:19
S66	:_ <b>17</b>	"5856829" and shad\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/14 03:40

S67	16	"5856829" and shad\$3 and texture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/14 03:42
S68	15	-"5856829" and shad\$3 and texture near3 map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/05/14 03:40
S69	14	"5856829" and shad\$3 same texture near3 map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/14 03:40
S70		"5856829" and shad\$3 with texture near3 map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	OFF	2005/05/14 03:40
S71	16	"5856829" and shad\$3 same texture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/14 03:43
S72		"5856829" and shad\$3 same texture and donovan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/14 03:43
S73	0	non-power near4 texrure adj map	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 03:01
S74	0	non-power near4 texture adj map	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 03:01
S75	11	non-power and texture adj map	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 03:01
S76	11993	donovan	US=PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 03:01

S77	51	donovan and texture adj map\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 03:03
S78	0	donovan and texture adj map\$3 same unnormalized	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 03:04
S79	1	donovan and texture adj map\$3 same \$3normalized	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 03:24
S80	67	texture adj map\$3 same \$3normalized	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 03:24
S81	10	sampl\$3 same texture adj map\$3 same \$3normalized	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 03:25
S82	0	(no or none or without)near sampl\$3 same texture adj map\$3 same \$3normalized	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 03:25
S83	0	(nò or none or without)near sampl\$3 same texture adj map\$3 and \$3normalized	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 03:26
S84	. 58	(no or none or without)near sampl\$3 and texture adj map\$3 and \$3normalized	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 03:26
S85	0	(no or none or without)near sampl\$3 same texture adj map\$3 and \$3normalized	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 03:26
S86	58	(no or none or without)near sampl\$3 and texture adj map\$3 and \$3normalized	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	<b>⊙</b> FF	2005/05/16 03:26

S87	102	(no or none or without)near3 sampl\$3 and texture adj map\$3 and \$3normalized	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 03:27
S88	ii	(no or none or without)near3 sampl\$3 same texture adj map\$3 and \$3normalized	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 03:27
S89	2	(no or none or without)with sampl\$3 same texture adj map\$3 and \$3normalized	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/05/16 03:28
S90	11	(no or none or without)with sampl\$3 same texture adj map\$3 and \$3normal\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 03:30
S91	2	(no or none or without)near sampl\$3 same texture adj map\$3 and \$3normal\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 03:46
S92	2	(no or none or without)near sampl\$3 same texture adj map\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/05/16 03:46
S93	456	sampl\$3 same texture adj map\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 03:50
S94	51	donovan and texture adj map\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 04:18
S95	478	wrap same texture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 04:59
S96	33	wrap same texture and mip adj2 map\$4	US-PGPUB; USPAT; EPO;-JPO;- DERWENT; IBM_TDB	OR .	OFF	2005/05/16 05:01

S97	26	wrap same texture and mip adj2 map\$4 and sampl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 05:01
S98	26	wrap same texture and mip adj2 map\$4 and \$3sampl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR -	OFF	2005/05/16 05:02
S99	18	wrap same texture and mip adj2 map\$4 and \$3sampl\$3 and (lod or lovel near3 detail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 05:02
S10 0	26	wrap same texture and mip adj2 map\$4 and \$3sampl\$3 and (lod or level near3 detail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 05:03
S10 1	25	(wrap same texture and mip adj2 map\$4 and \$3sampl\$3 and (lod or level near3 detail) )same texture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 05:03
S10 2	- 17	(wrap same texture and scal\$3 and mip adj2 map\$4 and \$3sampl\$3 and (lod or level near3 detail) )same texture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 05:05
S10 3	17	(wrap same texture and scal\$3 and mip adj2 map\$4 and \$3sampl\$3 and (lod or level near3 detail)and filter\$3 )same texture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 05:05
S10 4	17	(wrap same texture and scal\$3 and mip adj2 map\$4 and \$3sampl\$3 and (lod or level near3 detail)and filter\$3 and \$4linear\$2)same texture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 05:06
S10 5	16	(wrap same texture and scal\$3 and mip adj2 map\$4 and \$3sampl\$3 and (lod or level near3 detail)and filter\$3 and \$4linear\$2 and normal\$9)same texture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 05:06
S10 6	- 16	(wrap same texture and scal\$3 and mip adj2 map\$4 and \$3sampl\$3 and (lod or level near3 detail)and filter\$3 and \$4linear\$2 and normal\$9 and texel\$1)same texture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 05:10

S10 7	1	(wrap same texture and scal\$3 and mip adj2 map\$4 and \$3sampl\$3 and (lod or level near3	US-PGPUB; USPAT; EPO; JPO;	OR	OFF	2005/05/16 05:10
		detail)and filter\$3 and \$4linear\$2 and normal\$9 and texel\$1)same texture and donovan	DERWENT; IBM_TDB	:		